

DHI-VTA8111A-R4/AB-R4

Emergency Phone Tower



Features

- HD CMOS camera
- Night vision, IR 10m
- Video & audio talk
- Remote monitor and broadcast
- Alarm integration
- Excellent vandal proof, IP65, IK10



Technical Specification

Mode	DHI-VTA8111A-R4/AB-R4
------	-----------------------

System

Main Processor	Embedded Micro Processor
----------------	--------------------------

Operation System	Embedded LINUX OS
------------------	-------------------

Video

Video Compression	H.264/H.265
-------------------	-------------

Image Sensor	1/3" CMOS Max 25/30fps@6MP(3072x2048)
--------------	--

Lens	Horizontal FOV 180 , Vertical 180
------	-----------------------------------

Day/Night	Color Image
-----------	-------------

Audio

Audio Compression	G.711/G.726
-------------------	-------------

Audio Input	Omnidirectional Mic
-------------	---------------------

Audio Output	Built-in Speaker Support Noise Reduction and Echo Cancellation
--------------	---

Bidirectional Talk	Support two-way talk
--------------------	----------------------

Display

LCD Screen	10" 1024x600, Capacitive
------------	--------------------------

Operation Mode

Keypad	Single Mechanical Button
--------	--------------------------

Reader	Mifare Card
--------	-------------

Interface Network

Ethernet	10M/100Mbps Self-adaptive
----------	---------------------------

Fibre	100M/1000Mbps Self-adaptive
-------	-----------------------------

Network Protocol	TCP/IP, ONVIF, SNMP, RTSP
------------------	---------------------------

Extension

PSTN	Support
------	---------

3G/4G	Support
-------	---------

Wi-Fi	Support
-------	---------

IP PTZ	Support
--------	---------

IP Dome	Support
---------	---------

Speed Measuring Device	Support
------------------------	---------

General

Ingress Protection	IP65, IK10
--------------------	------------

Tamper Switch	2
---------------	---

Memory Slot	Micro SD, Max 64G
-------------	-------------------

Installation	Pole
--------------	------

Material	SGCC
----------	------

Power	AC 100V-240V@47Hz-63Hz
-------	------------------------

Power Consumption	Standby ≤3W, Work ≤80W
-------------------	------------------------


Working Environments	-30°C~+60°C
----------------------	-------------

DHI-VTA8111A-R4/AB-R4

Alarm In	2
Alarm Out	2
Alarm Lamp	1
Siren	1
LCD Screen	1

Relative Humidity	10%~90%RH
Dimensions	2400mm×340mm×330mm
Weight	100Kg

Dimensions



Application

